

HEALTH CARE PROFESSIONAL: NAME: AGE: DATE:

1 MILD symptom (occurs rarely)

**INSTRUCTIONS:** Circle the number that applies to you. **If a symptom does not apply, don't circle anything** for that symptom.

Circle the corresponding number.

	Symptom (occurs rarely)  ERATE symptom (occurs several times a month)	
3 SEVE	RE symptom (occurs almost constantly)	
1		
GROUP 1	45. 1 2 3 Get "shaky" if hungry	<b>85</b> . 1 2 3 Discomfort between
1. 1 2 3 Acid foods upset	46. 1 2 3 Fatigue, eating relieves	shoulder blades
2. 1 2 3 Get chilled often	47. 1 2 3 "Lightheaded" if meals delayed	86. 1 2 3 Occasional laxative use
3. 1 2 3 "Lump" in throat	<b>48</b> . 1 2 3 Heart palpitates if meals missed	87. 1 2 3 Stools alternate from soft
4. 1 2 3 Dry mouth, eyes, nose	or delayed	to watery
5. 1 2 3 Pulse speeds after meal	49. 1 2 3 Fatigue in afternoon	88. 1 2 3 Sneezing attacks
6. 1 2 3 Keyed up, fail to calm	50. 1 2 3 Overeating sweets upsets	89. 1 2 3 Dreaming, nightmare-type
7. 1 2 3 Gag occasionally	<b>51</b> . 1 2 3 Awaken after few hours sleep,	bad dreams
8. 1 2 3 Unable to relax, startle easily	hard to get back to sleep	90. 1 2 3 Bad breath (halitosis)
9. 1 2 3 Extremities cold, clammy	<ul><li>52. 1 2 3 Crave candy or coffee in afternoon</li><li>53. 1 2 3 Moods of "blues" or melancholy</li></ul>	<ul><li>91. 1 2 3 Milk products cause upset</li><li>92. 1 2 3 Sensitive to hot weather</li></ul>
<ul><li>10. 1 2 3 Strong light irritates</li><li>11. 1 2 3 Occasionally weak urine flow</li></ul>	54. 1 2 3 Craving for sweets or snacks	93. 1 2 3 Burning or itching anus
12. 1 2 3 Heart pounds after retiring	34. 1 2 3 Claving for sweets or snacks	94. 1 2 3 Crave sweets
13. 1 2 3 "Nervous" stomach		J4. 1 2 J Clave Sweets
14. 1 2 3 Appetite reduced occasionally		
15. 1 2 3 Cold sweats often	GROUP 4	1 2 3
16. 1 2 3 Get heated easily	55. 1 2 3 Hands and feet go to	GROUP 6
17. 1 2 3 Nerve discomfort	sleep easily, numbness	95. 1 2 3 Loss of taste for meat
18. 1 2 3 Staring, blink little	<b>56</b> . 1 2 3 Sigh frequently, "air hunger"	<b>96</b> . 1 2 3 Lower bowel gas several hours
19. 1 2 3 Sour stomach frequent	<b>57</b> . 1 2 3 Aware of "breathing heavily"	after eating
TOTAL	<b>58</b> . 1 2 3 High-altitude discomfort	<b>97</b> . 1 2 3 Burning stomach sensations,
	59. 1 2 3 Open windows in closed room	eating relieves
	<b>60.</b> 1 2 3 Immune system challenges	98. 1 2 3 Coated tongue
GROUP 2	61. 1 2 3 Afternoon "yawner"	99. 1 2 3 Pass large amounts
<b>20</b> . 1 2 3 Joint stiffness after arising	62. 1 2 3 Get "drowsy" often	of foul-smelling gas
21. 1 2 3 Muscle, leg, toe cramps at night	<b>63</b> . 1 2 3 Swollen ankles worse at night	100. 1 2 3 Indigestion ½-1 hour after eating;
22. 1 2 3 "Butterfly" stomach, cramps	<b>64</b> . 1 2 3 Muscle cramps, worse during	may be up to 3-4 hours after
23. 1 2 3 Eyes or nose watery	exercise; get "charley horse"	101. 1 2 3 Watery or loose stool
24. 1 2 3 Eyes blink often	<b>65</b> . 1 2 3 Difficulty catching breath,	102. 1 2 3 Gas shortly after eating
<b>25.</b> 1 2 3 Eyelids swollen, puffy	especially during exercise	103. 1 2 3 Stomach "bloating"
26. 1 2 3 Indigestion soon after meals	<b>66</b> . 1 2 3 Tightness or pressure in chest,	
<b>27</b> . 1 2 3 Always seem hungry, feel "lightheaded" often	worse on exertion  67. 1 2 3 Skin discolors easily after impact	1 2 3
28. 1 2 3 Digestion rapid	<ul><li>67. 1 2 3 Skin discolors easily after impact</li><li>68. 1 2 3 Tendency to anemia</li></ul>	GROUP 7A
29. 1 2 3 Vomit occasionally	69. 1 2 3 Noises in head or "ringing in ears"	104. 1 2 3 Difficulty sleeping
30. 1 2 3 Hoarseness frequent	70. 1 2 3 Fatigue upon exertion	<b>105</b> . 1 2 3 On edge
<b>31</b> . 1 2 3 Uneven breathing		<b>106</b> . 1 2 3 Can't gain weight
<b>32</b> . 1 2 3 Pulse slow		<b>107</b> . 1 2 3 Intolerance to heat
<b>33</b> . 1 2 3 Gagging reflex slow		108. 1 2 3 Highly emotional
<b>34</b> . 1 2 3 Difficulty swallowing	GROUP 5	<b>109</b> . 1 2 3 Flush easily
35. 1 2 3 Temporary constipation or diarrhea	<b>71</b> . 1 2 3 Dizziness	110. 1 2 3 Night sweats
<b>36</b> . 1 2 3 "Slow starter"	<b>72</b> . 1 2 3 Dry skin	111. 1 2 3 Thin, moist skin
<b>37</b> . 1 2 3 Get "chilled"	73. 1 2 3 Burning feet	112. 1 2 3 Inward trembling
38. 1 2 3 Perspire easily	74. 1 2 3 Blurred vision	113. 1 2 3 Heart races
<b>39</b> . 1 2 3 Sensitive to cold	75. 1 2 3 Itching skin and feet	114. 1 2 3 Increased appetite without
40. 1 2 3 Upper respiratory challenges	<b>76</b> . 1 2 3 Hair loss	weight gain
	77. 1 2 3 Occasional skin rashes	115. 1 2 3 Pulse fast at rest
1 2 3	<b>78</b> . 1 2 3 Bitter, metallic taste in mouth	116. 1 2 3 Eyelids and face twitch
GROUP 3	in morning 79. 1 2 3 Occasional constipation	<ul><li>117. 1 2 3 Irritable and restless</li><li>118. 1 2 3 Can't work under pressure</li></ul>
41. 1 2 3 Eat when nervous	<ul><li>79. 1 2 3 Occasional constipation</li><li>80. 1 2 3 Worrier, feels insecure</li></ul>	110. 1 2 3 Carrt work under pressure
<b>42</b> . 1 2 3 Excessive appetite	81. 1 2 3 Nausea occasionally after eating	
43. 1 2 3 Hungry between meals	82. 1 2 3 Greasy foods upset	. 4 3
44. 1 2 3 Irritable before meals	83. 1 2 3 Stools light-colored	
	<b>84</b> . 1 2 3 Skin peels on foot soles	

GROUP 7B	GROUP 7F			
119. 1 2 3 Increase in weight	<b>151</b> . 1 2 3 Weakness	s, dizziness 18	<b>37</b> . 1 2 3	Nervousness causing
120. 1 2 3 Decrease in appetite	152. 1 2 3 Tired thro	oughout day		loss of appetite
121. 1 2 3 Fatigue easily	<b>153</b> . 1 2 3 Nails wea	ık, ridged <u>18</u>	<b>38</b> . 1 2 3	Nervousness with indigestion
<b>122</b> . 1 2 3 Ringing in ears	<b>154</b> . 1 2 3 Sensitive	skin <u>18</u>	<b>39</b> . 1 2 3	Gastritis
123. 1 2 3 Sleepy during day	155. 1 2 3 Stiff joint	s <u>19</u>	<b>90</b> . 1 2 3	Forgetfulness
124. 1 2 3 Sensitive to cold	<b>156</b> . 1 2 3 Perspirati	on increase 19	<b>91</b> . 1 2 3	Thinning hair
<b>125</b> . 1 2 3 Dry or scaly skin	<b>157</b> . 1 2 3 Bowel dis	comfort		TOTAL
126. 1 2 3 Temporary constipation	<b>158</b> . 1 2 3 Poor circu	ulation	1 2	TOTAL
127. 1 2 3 Mental sluggishness	159. 1 2 3 Swollen a	nkles		
128. 1 2 3 Hair coarse, falls out	<b>160</b> . 1 2 3 Crave sal	<u>F</u>	EMALE (	DNLY
<b>129</b> . 1 2 3 Tension in head upon arising	<b>161</b> . 1 2 3 Areas of s	skin darkening <u>19</u>	9 <b>2</b> . 1 2 3	Very easily fatigued
wears off during day	<b>162</b> . 1 2 3 Upper res	piratory sensitivity 19	9 <b>3</b> . 1 2 3	Premenstrual tension
<b>130</b> . 1 2 3 Slow pulse below 65	163. 1 2 3 Tiredness	19	<b>94</b> . 1 2 3	Menses more painful than usual
131. 1 2 3 Changing urinary function	<b>164</b> . 1 2 3 Breathing	challenges 19	<b>95</b> . 1 2 3	Depressed feelings
132. 1 2 3 Sounds appear diminished	TOT			before menstruation
133. 1 2 3 Reduced initiative		19	<b>96</b> . 1 2 3	Painful breasts during menses
TOTAL		<u>19</u>	<b>97</b> . 1 2 3	Menstruate too frequently
	GROUP 8	19	<b>98</b> . 1 2 3	Hysterectomy/ovaries removed
GROUP 7C	<b>165</b> . 1 2 3 Muscle w	eakness 19	<b>99</b> . 1 2 3	Menopausal hot flashes
<b>134</b> . 1 2 3 Failing memory with age	166. 1 2 3 Lack of s	tamina <u>20</u>	<b>00</b> . 1 2 3	Menses scanty or missed
135. 1 2 3 Increased sex drive	<b>167</b> . 1 2 3 Drowsine	ss after eating 20	<b>)1</b> . 1 2 3	Acne, worse at menses
136. 1 2 3 Episodes of tension in head	168. 1 2 3 Muscular	soreness		TOTAL
137. 1 2 3 Decreased sugar tolerance	169. 1 2 3 Heart rac	es	1 2	<b>TOTAL</b>
TOTAL	170. 1 2 3 Hyperirrit	able		
1 2 3	<b>171</b> . 1 2 3 Feeling of	a band around head M	ALE ON	LY
GROUP 7D	172. 1 2 3 Melancho	olia (feeling of sadness) 20	<b>)2</b> . 1 2 3	Less involved in
138. 1 2 3 Abnormal thirst	173. 1 2 3 Swelling	of ankles		exercise/social activities
139. 1 2 3 Bloating of abdomen	<b>174</b> . 1 2 3 Change in	urinary function 20	<b>)3</b> . 1 2 3	Difficult to postpone urination
<b>140</b> . 1 2 3 Weight gain around hips or waist	<b>175</b> . 1 2 3 Tendency	to consume <u>20</u>	<b>)4</b> . 1 2 3	Weak urinary stream
141. 1 2 3 Sex drive reduced or lacking	sweets/ca	arbohydrates <u>20</u>	<b>)5</b> . 1 2 3	Feeling of "blues" or melancholy
142. 1 2 3 Tendency for stomach issues	176. 1 2 3 Muscle sp	asms 20	<b>06</b> . 1 2 3	Feeling of incomplete
143. 1 2 3 Immune system challenges	177. 1 2 3 Blurred vi	sion		bowel evacuation
144. 1 2 3 Menstrual disorders	178. 1 2 3 Involunta	ry muscle action 20	<b>)7</b> . 1 2 3	Lack of energy
	179. 1 2 3 Numbnes	s 20	<b>)8</b> . 1 2 3	Muscles in arms and legs seem
1 2 3	180. 1 2 3 Night swe	eats		softer/smaller
GROUP 7E	181. 1 2 3 Rapid digestion		<b>)9</b> . 1 2 3	Tire too easily
<b>145</b> . 1 2 3 Dizziness	182. 1 2 3 Sensitivity to noise		<b>10</b> . 1 2 3	Avoid activity
<b>146</b> . 1 2 3 Headaches	<b>183</b> . 1 2 3 Redness of palms of hands and		l <b>1</b> . 1 2 3	Leg nervousness at night
147. 1 2 3 Hot flashes	bottom of feet		l <b>2</b> . 1 2 3	Diminished sex drive
<b>148</b> . 1 2 3 Hair growth on face	184. 1 2 3 Visible veins on chest and abdomen			TOTAL
or body (female)	185. 1 2 3 Hemorrho	pids	1 2	3
149. 1 2 3 Sugar in urine (not diabetes)	<b>186</b> . 1 2 3 Apprehen	<b>186</b> . 1 2 3 Apprehension (feeling that		
150. 1 2 3 Masculine tendencies (female)	somethin	g bad is going to happen)		
TOTAL				
1 2 3				
IMPORTANT I Plaasa lis	t halow the five main phys	ical complaints you have in o	urder of th	eir importance
INII ORTANT   Flease iis	t below the five main priys	iicai compiaints you nave in o	ildel OI til	en importance.
1.		4.		
2.		5		
2.		<u>J.</u>		
3.				
TO E	BE COMPLETED BY HEA	ALTH CARE PROFESSION	AL	
Digestion Large Int	estine (Palpate)	Adrenals	1	Pass/Fail Zinc Taste Test
	Ascending Pass/Fail Pupil Dilation E			Pass/Fail Cuff Test
<u> </u>	Ascertaing Fass/raii rupii bilation t			Cuff Pressure
	Descending Supin			pH of Saliva
Murphy's Sign	Standing		=	Pulse
		Standing	-	1 disc
BARNES THYROID TE	ST	RES	TRICTIO	NS ON USE
The test is conducted by the patient in the morning before leaving bed 10 minutes. The test is invalidated if the patient expends any energy prior any reason, shaking down the thermometer, etc. It is important that the te making the prior positioning of both the thermometer and a clock importan	The systems survey is to be used only by trained health care professionals. If you are a patient, you should not use the systems survey. If you are not a trained health care practitioner, you should not use the systems survey. Health care practitioners should only use the systems survey to provide services that are within the scope of their license or professional training. The systems survey is intended to be used as a helpful tool for health care practitioners in			
PRE-MENSES FEMALES AND MENOPAUSAL FEMALES (any two of FEMALES HAVING MENSTRUAL CYCLES (the second and third da MALES (any two days during the people)	collecting information concerning the health	and wellness of	patients.	

\_\_\_\_\_ Day 3 \_\_

\_\_\_ Day 2 \_\_

\_\_\_ Day 4 \_\_\_\_

\_\_\_ Day 5 \_